References:

Apeldorm A, Bosselaar H, Ostelo R et al. Identification of patients with Chronic Low Back Pain who might benefit from additional Psychological Assessment. Clinical Journal of Pain. Voln. 28 (1) 2012

Chaniotis S (2012) Clinical reasoning for a patient with neck and upper extremity symptoms: A case requiring referral Journal of Bodywork & Movement Therapies (2012) 16, 359e – 363.

Chen J, Phillips A, Ramsey M, Schenk R. A case study examining the effectiveness of MDT in a patient who met the CPR for spinal manipulation. Journal of Manual and Manipulative Therapy. 13 (4)

Christiansen D, Larsen K, Jensen OK, Nielsen CV; Pain Responses in Repeated End-Range Spinal Movements and Psychological Factors in Sick-Listed Patients with Low Back Pain: is there an Association? J Rehabil Med; 41.545-549, 2009.

Donelson R, April C, Medcalf R, Grant W. A Prospective Study of Centralization of Lumbar and Referred pain. A Predictor of Symptomatic Discs and Annular Competence Spine 22 (1997) 1135-1122

Gregg CD, McIntosh G, Hall H, Hoffman CW, Prognostic Factors Associated Low Back Pain Outcomes, *J Primary Healthcare*, 6: 23-30, 2014.

Gutke A, Kjellby-Wendt G, Oberg B.The inter-rater reliability of a standardised classification system for pregnancy-related lumbopelvic pain. Man Therapy 15;13-18. 2010.

Gutke A, Josefsson A, O'Berg, A. Pelvic Girdle Pain and Lumbar Pain in Relation to Postpartum Depressive Symptoms. Spine 32, (13) 1430–1436. 2007

Gutke A, O"Stgaard H, O"Berg B. Pelvic Girdle Pain and Lumbar Pain in Pregnancy: A Cohort Study of the Consequences in Terms of Health and Functioning. Spine 31 (5) E149-E155. 2006.

Hartvigsen L, Kongsted A, Hesback L; Clinical examination findings as prognostic factors in low back pain. A systematic review of the literature. Chiropractic and Manual Therapies. 23:13. 2015

Herbert J, Fritz J, Koppenhaver S, Thackeray A, Kjaer P. Predictors of Clinical outcome following lumbar disc surgery: the value of historical, physical examination and muscle function variables. Eur Spine J, April 2015,

Horton S, Franz A. Mechanical Diagnosis and Treatment approach to assessment and treatment of Derangement of the SIJ. Manual Therapy; 12 (2) 126-132. 2013

Long A; The centralization phenomenon: its usefulness as a predictor of outcome in conservative treatment of chronic low back pain (a pilot study Spine; 20(23):2513-2521, 1995.

Laslett M, Young SB, April CN, McDonald B: Diagnosing painful sacroiliac joints: A validity study of a McKenzie evaluation and sacroiliac provocation tests. Aus J Physio; 49: 89-97. 2003.

Long A, Donelson R, Fung T. Does it Matter Which Exercises? A RCT of Exercise for Low back Pain. Spine, 23, 2593-2602 2004.

May S, Aina A; Centralization and directional preference: a systematic review. Manual Therapy; 2012:17:497-506, 2012.

May S, Gardiner E, Young S, Klaber-Moffett J; Predictor variables for a positive long-term functional outcome in patients with acute and chronic neck and back pain treated with a McKenzie approach: a secondary analysis. J Manual Manip Ther; 16.155-160, 2008.

May S, Rosedale R,. A case study of potential manipulation responder whose back pain resolved with flexion exercises. Journal of Manipulative and Physiological Therapeutics. 2007

Menon A, May S. Shoulder pain: differential diagnosis and therapy extremity assessment – a case report. Manual Therapy 18; 354-357. 2013

Petersen T, Larsen K, Nordsteen J, Olsen S, Fournier G, Facobsen S. The McKenzie Method compared with manipulation when used adjunctive to information and advice in low back pain patients presenting with centralization or peripheralization. A RCT. Spine 36 (2011) 1999-2010

Rasmussen C, Nielsen G, Hansen V, Jensen O, Schioeltz-Christensen B. Rates of Lumbar Disc Surgery before and After Implementation of Multidisciplinary Non surgical spine Clinics. Spine 30 (21) 2469-2473.

Rosedale R, Rastogi R, May S, Chesworth BM, Filice F, Willis S, Howard J, Naudie D, Robbins SM. Efficacy of Exercise Intervention as Determined by the McKenzie System of Mechanical Diagnoiss and Therapy for Knee Osteoarthritis: A Randomized Controlled Trial. J Orth Sports Phys Ther, 2014:44:3:173-181,2014.

Schenk R, Lozefczy K, Kopf A. A Randomized trial comparing interventions in patients with lumbar posterior derangements. Journal of Manual and Manipulative Therapy. Voln 11 (2003) 95-102

Skytte L, May S, Petersen P; Centralization: Its prognostic value in patients with referred symptoms and sciatica Spine; 30:E293-E299, 2005.

Soerensen B . (2011) Mechanical diagnosis and therapy (MDT) approach for assessment and identification of serious pathology. Manual Therapy 16; 406e-408.

Svensson GL, Wendt GL, Thomee R., A Structured Physiotherapy Treatment Model Can Provide Rapid Relief to Patient who Qualify for Lumbar Disc Surgery: A Prospective Chohort Study. Journal of Rehab Med. 46(3)233-40, 2013

Tuttle N; Is it reasonable to use an individual patient's progress after treatment as a guide to ongoing clinical reasoning? J Manip Physiol Ther; 32.396-403, 2009.

Van Helvoirt, Apeldoorn, A, Ostelo R, Arts M, Kamper S, van Tulder M. Transforaminal Epidural Steroid Injections followed by Mechanical Diagnosis and Therapy to prevent surgery for Lumbar Disc Herniation. Pain medicine 15(7) 1100-1108. 2014

Werneke M, Hart DL, Cook D; A descriptive study of the centralization phenomenon. A prospective analysis. Spine; Apr 1; 24(7): 676-83, 1999.

Werneke M, Hart DL; Centralization phenomenon as a prognostic factor for chronic low back pain and disability. Spine; Apr 1; 26 (7): 758-65, 2001.

Werneke M, Hart DL. Centralization: association between repeated end-range pain responses and behavioural signs in patients with acute non-specific low back pain. Journal of Rehabilitation Medicine 2005; 37: 286e90.

Werneke MW, Hart DL, George SZ, Stratford PW, Matheson JW, Reyes A. Clinical outcomes for patients classified by fear avoidance beliefs and centralization phenomenon. Archives Physical Medicine and Rehabilitation 2009; 90: 768e77.